


Rapid Healing **OF PEPTIC ULCER**

Healing of peptic ulcer at a rapid rate is the rule with Amphojel* therapy. Roentgenological re-examination after ten days of treatment often shows complete disappearance of the ulcer niche.†

† WOLDMAN, E. E., and POLAN, C. G.: The Value of Colloidal Aluminum Hydroxide in the Treatment of Peptic Ulcer: A Review of 407 Consecutive Cases, *Am. J. M. Sc.* **193**: 155-164 (August) 1939.

PROMPT RELIEF OF PAIN
RAPID HEALING OF ULCER
FEWER RECURRENCES
LESS NEED FOR RESTRICTED DIET
NO ALKALOSIS



*REG. U. S. PAT. OFF.

JOHN WYETH & BROTHER, INC., PHILADELPHIA, PA.

Preventive Medicine in Modern Practice

PREVENTIVE MEDICINE IN MODERN PRACTICE is a textbook consisting of forty-nine chapters divided into four sections dealing with the sociobiological, clinical, environmental, and organizational aspects of preventive medicine and public health. It is a third, much enlarged, and completely revised edition of the OUTLINE OF PREVENTIVE MEDICINE which was first prepared in 1929 under the auspices of the Committee on Public Health Relations of The New York Academy of Medicine.

While public health is primarily a community responsibility and deals principally with environmental factors, the practice of preventive medicine is the concern of the individual physician. PREVENTIVE MEDICINE IN MODERN PRACTICE is perhaps the first book to differentiate between preventive medicine and public health in the approach to and the treatment of the vast material available. On the extent to which the medical profession applies the principles of preventive medicine may depend the degree to which the health departments will encroach upon the field of private medical practice.

PREVENTIVE MEDICINE IN MODERN PRACTICE is published by Paul B. Hoeber, Inc., the Medical Book Department of Harper & Brothers. Price Ten Dollars.



For Safe Effective Antisepsis Without Pulmonary Complications

The fact that ARGYROL has been used repeatedly and with good effect in the bronchoscopic irrigation of the lungs is striking evidence of its freedom from any tendency towards pulmonary complications.

But this is only *one* of ARGYROL's many unique advantages. For ARGYROL is *not* just another "germ-killer." It is peculiarly adapted to the treatment of mucous membrane infections. It not only attacks the infectious organisms directly but many writers have observed that it appears to aid and abet the natural defensive mechanisms of the tissues. It promotes a decongestion and circulatory stimulation without resort to powerful vasoconstriction. It stimulates the mucous

glands so as to effect "a physiologic washing of the membrane." It produces no ciliary injury. It is detergent and inflammation-dispelling. And above all, it remains bland and non-irritating in all concentrations from 1% to 50%. Some explanation of ARGYROL's superiority in these respects is likely to be found in its controlled pH and pAg, its fine colloidal dispersion, its more active Brownian movement.


This is why ARGYROL, in over 40 years of world-wide use, has established an unparalleled record of clinical efficiency and safety. Specify genuine "ARGYROL Barnes in Original Package" whenever ordering, prescribing, or recommending.

ANTISEPTIC EFFICIENCY PLUS

- SOOTHING AND INFLAMMATION-DISPELLING PROPERTIES
- NO CILIARY INJURY—NO TISSUE IRRITATION
- NO SYSTEMIC TOXICITY
- NO PULMONARY COMPLICATIONS
- DECONGESTION WITHOUT VASOCONSTRICTION

SPECIFY THE ORIGINAL ARGYROL PACKAGE





Machines that Seldom Stop

DEMAND for medicinal supplies at the fighting front doesn't begin at eight o'clock and stop at five. In war there is no forty-hour week and casualties must be treated at all times—day and night.

Lilly employees feel deeply their obligation to produce a full share of essential therapeutic agents. Uppermost is the thought that machines must turn eight—sixteen—twenty-four hours a day to fill the needs of the allied armed forces.



**BUY WAR
BONDS**

ELI LILLY AND COMPANY, INDIANAPOLIS, INDIANA, U. S. A.

INDEX TO ADVERTISERS

APRIL 1943 • BULLETIN OF
THE NEW YORK ACADEMY OF MEDICINE

AMERICAN PHARMACEUTICAL CO., INC.	XVI
ARLINGTON CHEMICAL CO.	IX
BARNES, A. C., CO.	III
BILHUBER-KNOLL CORP.	XIII
M. BRAVERMAN & SONS	XIII
CAMP, S. H. AND COMPANY	VIII
CANADA DRY GINGER ALE, INC.	XIX
CIBA PHARMACEUTICAL PRODUCTS	XXI
CLAY-ADAMS CO., INC.	XV
DENVER CHEMICAL CO.	XIV
DOHO CHEMICAL CORP.	XIV
DUBIN, H. E., LABORATORIES	XVIII
EIMER AND AMEND APOTHECARY	VI
ELI LILLY AND COMPANY	IV
FALKIRK-IN-THE-RAMAPOS	XVI
FRIDAY AFTERNOON LECTURES	XIX
HARRIS LABORATORIES	XXII
KALAK WATER CO. OF N. Y.	XI
LEDERLE LABORATORIES, INC.	VII
MACY, R. H. & CO.	XI
MAGER & GOUGELMAN, INC.	XVIII
MALTINE CO.	Inside Back Cover
MEAD JOHNSON & CO.	XX
PAINE HALL	XVI
POMEROY	XV
PREVENTIVE MEDICINE IN MODERN PRACTICE	II
SARATOGA SPA	XIX
SCHIEFFELIN & CO.	XVII
SQUIBB, E. R., AND SONS	XII
STAMFORD HALL	XVIII
TEACHERS BLENDED SCOTCH WHISKEY	XIV
TOWNS, CHARLES B., HOSPITAL	XVII
WALKER-GORDON LABORATORIES	X
WYETH, JOHN, & BROTHERS, INC.	I



The Physician's prescription is carefully compounded by one pharmacist and his work is checked by another.

Devoted Exclusively to Prescriptions



Conveniently located on 34th between Madison and Park.

The registered pharmacists at Eimer and Amend Apothecary have no duties other than compounding prescriptions with meticulous care. This single purpose, together with the most approved laboratory facilities, enables this Apothecary to serve physicians in keeping with their high professional standards.

Prescriptions are filled here with the same high regard for the patient's welfare and the same careful attention to detail that the physician exercises in writing them.

Physicians are invited to visit this modernized continuation of a 91-year-old Apothecary. In addition to the prescription laboratory, there are the aseptic laboratory, the large stock rooms and other facilities essential to the Science of Pharmacy.

EIMER AND AMEND APOTHECARY

49 East 34th Street . . . Between Madison and Park

Phone Murray Hill 5-7535

New York


Child Immunization

more essential than ever in War Time . . .

EVERY PRACTITIONER should be on the alert to encourage immunization programs and to urge immunization in his private practice. The migration of families by the thousands, almost universal decrease in home supervision of children, increasing personal contacts throughout industry, and the relative scarcity of physicians combine to increase the likelihood of the spread of infectious diseases.

As an aid in this work Lederle offers many products of established efficacy for the production of active immunity . . .

Specify
Lederle




IMMUNIZATION SCHEDULE		
Immunization should be carried out against:	LEDERLE PRODUCT	TIME
Smallpox	Smallpox Vaccine*	6-12 months (revaccinate at 6 and 12 years)
Diphtheria	Diphtheria Toxoids*	6-12 months (Schick Test at 6 years—reimmunize if necessary)
Rabies	Rabies Vaccine*	Promptly after exposure
Immunization is recommended against:	LEDERLE PRODUCT	TIME
Scarlet Fever	Scarlet Fever Streptococcus Toxin*	After 18 months
Measles	Immune Globulin*	After exposure
Tetanus	Tetanus Toxoid*	Before probable exposure

*Accepted by Council on Pharmacy and Chemistry of the American Medical Association.

LEDERLE LABORATORIES, Inc., NEW YORK, N. Y. — A UNIT OF AMERICAN CYANAMID COMPANY

Bringing to wartime America the increased significance of GOOD POSTURE

5th ANNUAL
CAMP
TRADE MARK
 NATIONAL POSTURE WEEK
 MAY 3rd TO 8th



TODAY, more emphasis than ever before is being placed upon *good posture* as an essential factor in our nation's well being. That is why, this year, National Posture Week becomes more far-reaching and significant than at any time since its inception . . . Why, this year, it should be of more than usual interest to the medical profession.

"Fitness for Victory"—slogan of this 5th National Posture Week—will ring like

a battle cry from one end of the country to the other. Press, radio, schools, colleges and civic groups will voice the challenge—"How are you standing up to the extra demands of total war . . . are you *fit* to do *your* share for victory?"

We believe that this message will inspire more men and women to better posture . . . will encourage those suffering from poor body mechanics to seek professional advice. We hope the aims and precepts of

this program will warrant the full approval and support of the medical fraternity this year, as in the past.

FREE A BOOKLET ON POSTURE FOR YOUR PATIENTS

Doctors all over America—particularly in industrial plants and army camps—have ordered thousands of this 16-page ethical booklet. They have expressed satisfaction with the way "Blue Prints for Body Balance" clearly explains authentic posture information to the layman in easy-to-read, non-technical language. Prepared by the Samuel Higby Camp Institute for Better Posture, it can be obtained in any quantities you wish by writing the **Samuel Higby Camp Institute for Better Posture. Address: Empire State Building, New York City.**



S. H. CAMP AND COMPANY
 Jackson, Michigan

World's largest manufacturer of scientific supports. Offices in New York; Chicago; Windsor, Ontario; London, England.

Book is 3¼ inches by 6¼ inches. Printed in blue. Profusely illustrated with skeletal diagrams as above.



Safe Convoy...

THE course of the patient from the onset of illness through the pre- and post-operative periods is often fraught with hidden perils, the avoidance of which demands the constant vigilance of physician and surgeon.

Aminoids, a protein hydrolysate product prepared by enzymic digestion, contains all the essential Amino Acids so necessary—and irreplaceable by carbohydrates or vitamins—for the repair and healing of tissues and wounds, and for the regeneration of hemoglobin and plasma proteins.

Practical and economical for daily administration, Aminoids is indicated as supplemental therapy to plasma transfusions for the constant

maintenance of a positive nitrogen balance. Aminoids is readily soluble, palatable, extremely well tolerated and readily adaptable for tube feeding. Since it contains no drugs the physician may safely regulate dosage to meet individual patient requirements.

Aminoids (Chocolate flavored) can be given in water or milk. Aminoids (Plain) is soluble in any type of hot or cold liquid: water, milk, tea, fruit juice, meat and vegetable broth, and can be mixed with hot or cold cereal, etc.

HOW SUPPLIED: AMINOIDS is supplied in bottles containing six ounces, either plain or chocolate flavored.

Aminoids

REG. U. S. PAT. OFF.
A PROTEIN HYDROLYSATE PRODUCT

For Oral Administration

THE ARLINGTON CHEMICAL COMPANY

YONKERS

Arlington

NEW YORK



An extra reason for giving infants Walker-Gordon milk

FOR YEARS Walker-Gordon Certified Milk has been considered by many physicians to be the finest milk in the world . . . both for babies and adults.

And today, when there are shortages in evaporated and certain other types of milk, more doctors than ever before are prescribing Certified for their infant feeding cases . . . *for there's no wartime shortage of Walker-Gordon!*


Walker-Gordon Certified is an almost sterile milk, and provides extra richness and an extra-high vitamin content. (For example, it has 60% more Vitamin A than many ordinary milks.) Also it's delivered *fresher* than regular milk!

And at the same price, your patients can buy WALKER-GORDON CERTIFIED-HOMOGENIZED. (This extremely pure milk has a low curd tension—it's easier to digest.)

Walker-Gordon Milks can be purchased in stores or
from milkmen.

WALKER-GORDON

"The World's Finest Milk"



Herald Square, N. Y.

Parkchester, Bronx

CONFIDENCE IN

MACY'S PRESCRIPTION DEPARTMENT

This confidence is exemplified by our constant expansion since our opening four years ago. It is a tribute to a policy devoted to providing the highest quality in materials and workmanship, at Macy's modest cash prices.

Qualified pharmacists, working in two modern laboratories, open to public view, compound prescriptions under rigid supervision and highest standards. Every prescription is double-checked for accuracy and quality.

Macy's Prescription Department

Kalak

TRADE MARK REG. U.S. PAT. OFF.

• THE SUCCESS EXPERIENCED BY MEMBERS OF THE MEDICAL PROFESSION IN USING KALAK AS THE ALKALIZING AGENT WITH SULFA DRUGS WARRANTS OUR BELIEF IN ITS MERITS IN SUCH CASES. MEDICAL LITERATURE CONTAINS QUITE A NUMBER OF REPORTS WHERE HAZARDS IN SULFA MEDICATION HAVE BEEN REMOVED BY (1) ALKALINIZATION; (2) PUSHING FLUIDS AND KALAK PROVIDES BOTH. WRITE FOR "FACTS," AN ILLUSTRATED BOOKLET GIVING METHODS OF MANUFACTURE, PHYSICAL AND CHEMICAL DATA.

KALAK WATER COMPANY OF NEW YORK, INC.
30 Rockefeller Plaza **New York, N. Y.**




TODAY the average American housewife must mentally wrestle with prices, ration point values and nutritional content of foods. In the face of such obstacles it may be more difficult for you to prescribe a diet that is obtainable and which will provide the factors necessary for optimum efficiency and stamina.

When food sources fail and the need for a balanced vitamin-mineral supplement is apparent, you can save time for yourself and for your patients by prescribing Pargran-V and Pargran-M.

Study the chart and you will see that these two Squibb Products —

- supply in proper balance the vitamins and minerals most generally lacking in the diet;
- embody the recommendations of the Food and Nutrition Board of the National Research Council;
- afford flexibility of dosage—supplying vitamins or minerals or both—in $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ or the full recommended daily allowance;
- provide the advantages of convenience and economy.


Write now for complete information about Pargran-V and Pargran-M and for the new authoritative booklet, "Practical Nutrition." Address the Professional Service Department, 745 Fifth Avenue, New York City.



E-R SQUIBB & SONS

Manufacturing Chemists in the Medical Profession Since 1899

*For Circulatory and Respiratory Depression
During and After the Operation -*



Give Metrazol intravenously for a prompt restorative effect. In extreme cases repeat the 3 cc. dose as necessary, or continue with smaller doses, 1 or 2 cc. subcutaneously.

In these doses Metrazol exerts an antidotal effect toward ether, morphine, barbiturates and other general anesthetics.

Metrazol, brand of pentamethylenetetrazol, Trade Mark and Pat. Reg. U. S. Pat. Off.

BILHUBER-KNOLL CORP., ORANGE, NEW JERSEY



To doctors and orthopedists who remain on the Home Front, the importance of maintaining the public health is greater than ever before.

To us, there can be no deviation from our original, basic concept of "fitting better shoes better," for, today, as some 60 odd years ago, we are continuing advances in the scientific fitting and construction of shoes in keeping with our tradition of service to the profession.

ROUTINE URINE ANALYSIS SIMPLIFIED!

GALATEST MAKES URINARY SUGAR TESTING A MATTER OF SECONDS

WHETHER it's the occasional specimen in your office — or thousands in hospitals, war plants and induction centers — you can cut corners on time and bother with Galatest.

**NO
BOILING**

**NO
MEASURING**

**NO
TEST TUBES**

**NO
BREAKAGE**

Here's how to make a complete Urine Sugar Test in 30 Seconds...

A LITTLE GALATEST POWDER — ONE DROP OF URINE

And that's all there is to it!

Diabetics are taught the use of this dry reagent in no time. They will welcome its convenience — no heating, no test tubes, no liquid measuring. At home, or away from home, Galatest makes it easier for your patients to carry out their routine tests for urine sugar. The handy, portable Galatest kit contains everything the patient requires for a complete sugar test. Send for descriptive literature.

THE DENVER CHEMICAL MFG. COMPANY, 163 Varick Street, New York, N. Y.

Galatest

ACCEPTED FOR ADVERTISING IN
THE JOURNAL OF THE AMERICAN
MEDICAL ASSOCIATION



EFFECTIVE THERAPY IN *Otitis Media*

REQUIRES ANALGESIA - BACTERIOSTASIS, AND DEHYDRATION OF THE TISSUES.

Auralgan

THE DOHO CHEMICAL CORPORATION

New York — Montreal — London


TEACHER'S *Perfection of* *Blended Scotch Whisky*

What you've been looking for in Scotch . . . mildness, smoothness and delicious taste. Teacher's has outstanding quality . . .


*"It's the
flavour"*

86 PROOF

SOLE U. S. AGENTS. Schieffelin & Co.
NEW YORK CITY • IMPORTERS SINCE 1794



\$19²⁵
complete



Made in U.S.A.

operating on 110 V., AC or DC with maximum speed of 1700 R.P.M. Attractive black crinkle finish base. Supplied complete with aluminum shields and one each taper bottom, graduated and ungraduated 15 ml. tubes. Complete ready to use.

Each . . . \$19.25

Adams **JUNIOR CENTRIFUGE**

This efficient, moderately priced Junior Centrifuge is suggested for those who do a small volume of work. . . . For others, we recommend the larger models described in Catalog No. 111 Adams Centrifuges. PLEASE SEND FOR A COPY.

CT-1700 Adams JUNIOR CENTRIFUGE for two 15 ml. tubes, Universal motor,

CLAY-ADAMS CO. INC.

44 EAST 23rd STREET, NEW YORK, N. Y.



POMEROY surgical appliances are sold on prescription and are obtainable only at POMEROY shops. This guarantees correct fit, comfort, and lasting satisfaction to both physician and patient.




SURGICAL APPLIANCES

In the matter of surgical appliances the patient must trust his physician and the physician must have confidence in the dealer. For more than seventy-five years POMEROY has been designing and making surgical appliances to conform to the physician's specifications and fitting them to meet the particular requirements of the individual patient.

In specifying POMEROY the physician assures his patient correct design, fit and lasting comfort.

Pomeroy

16 EAST 42nd STREET, NEW YORK
208 LIVINGSTON STREET, BROOKLYN, N. Y.
Newark • Boston • Springfield • Detroit • Wilkes-Barre





THIS SYMBOL

ON A PRODUCT

Is Your Assurance of

ACCURACY **P**URITY **C**ONSISTENCY

Over a Quarter Century of Dependability

AMERICAN PHARMACEUTICAL CO., INC.

MAIN OFFICES AND LABORATORIES

525 W. 43 ST.,

NEW YORK, N. Y.

FALKIRK IN THE RAMAPO

ESTABLISHED 1889 •

A Sanitarium devoted to the individual care of mental cases.

CENTRAL VALLEY

•

Orange County

•

NEW YORK

• THEODORE W. NEUMANN, M.D.

Physician-in-Charge

**Paine
Hall**

Established 1849
101 West 31st St., N. Y.
Licensed by State of New York

Our Graduates Make CAPABLE ASSISTANTS

When you need a trained office and laboratory assistant, our Placement Service (operated without charge) can help you locate exactly the right type of girl. Paine Hall demands perfection. Our students continue their course only after a rigid three months' probationary period. Graduates are thoroughly qualified in haematology, blood chemistry, urinalysis, clinical pathology and operation of office machines, as well as medical stenography and bookkeeping.

Address inquiries to:

MISS THELMA M. CHRISMAN, Associate Principal

A new synthetic estrogen for oral and parenteral use

Octofollin

This latest development of the Schieffelin & Co. research laboratories offers outstanding advantages over all other estrogens now available.

Octofollin is effective by mouth, is very well tolerated and highly economical. Indications for its use are the same as those for all estrogens . . . menopause disorders, suppression of lactation, senile

vaginitis, infantile gonorrheal vaginitis and in ovarian hypofunction of estrogenic origin.

Octofollin Tablets are supplied in potencies of 0.5, 1.0, 2.0 and 5.0 mg. Bottles of 50, 100, 1,000.

Octofollin Solution containing 5.0 mg. per cc of sesame oil is packaged in a 10cc rubber stoppered vial.



Schieffelin & Co., New York, N. Y.

Pharmaceutical and Research Laboratories

CHARLES B. TOWNS HOSPITAL

293 CENTRAL PARK WEST • NEW YORK, N. Y.


for ALCOHOLISM and
DRUG ADDICTION

No Mental Cases Accepted

This hospital has specialized solely in addictions for over forty years. The treatment is a hospital procedure and provides a definite means of eliminating the craving and the toxic products of alcohol and drugs. Complete department of Physical Therapy for physical rebuilding and appreciating the seriousness of the mental side of the alcoholic problem, we devote the convalescent period to minimizing the possibility of relapse.

*Complimentary Copy "Drug and Alcoholic
Sickness" Sent on Request*

SCHUYLER 4-0770



STAMFORD HALL

Established 1891

STAMFORD, CONN.

Telephone 3-1191

FOR THE TREATMENT OF

NERVOUS AND MENTAL DISORDERS
ALCOHOLIC AND DRUG HABITS GENERAL INVALIDISM

Modern Equipment and Large Assisting Staff—Rates Reasonable

FRANCIS M. SHOCKLEY, M.D.
DANIEL P. GRIFFIN, M.D. MARGARET M. ARMSTRONG, M.D.

Write For Descriptive Information

MAGER & GOUGELMAN, Inc.

FOUNDED 1851

510 MADISON AVE., S.W. corner 53rd Street

NEW YORK CITY

Specialists in the manufacturing and fitting of

Artificial Eyes

Large selections on request. Prompt attention. Oculists are cordially invited to watch us at work in our laboratories.

Write for our color charts and order blanks.

230 BOYLSTON STREET BOSTON MASS.
1930 CHESTNUT STREET PHILADELPHIA PA.
1426 G STREET, N. W. WASHINGTON, D.C.

CHARITABLE INSTITUTIONS SUPPLIED AT LOWEST RATES



Quick, dependable results!

with the easily soluble

DUBIN AMINOPHYLLIN

THEOPHYLLINE-ETHYLENEDIAMINE

TABLETS

Discriminating physicians are prescribing this product, American Made from American Materials, as a:

AMPULS

MYOCARDIAL STIMULANT AND POWERFUL DIURETIC:

POWDER

EFFECTIVE IN BRONCHIAL ASTHMA, PAROXYSMAL DYSPNEA AND CHEYNE-STOKES RESPIRATION.

SUPPOSITORIES

Numerous reports in the literature comment on Prompt Relief, Favorable Action, and Dramatic Improvement in these conditions.

H. E. DUBIN LABORATORIES, 250 East 43rd Street, New York, N. Y.

SARATOGA SPA



was built by the State to aid the private physician, in a primary or collateral capacity, in treating conditions for which hydrotherapy or crounotherapy is indicated. The Spa and its medical staff supervise the treatments prescribed by the individual physician — none of the staff engage in medical practice.

For literature, write

WALTER S. MCCLELLAN, M.D., *Medical Director*
610 Saratoga Springs New York, N. Y.

OWNED AND OPERATED BY THE STATE OF NEW YORK

FRIDAY AFTERNOON LECTURE SERIES — 1942-43

At 4:30 O'CLOCK

THE NEW YORK ACADEMY OF MEDICINE
2 EAST 103 STREET NEW YORK CITY

- April 2: Postcholecystectomy syndrome — RALPH COLP, *Clinical Professor of Surgery, College of Physicians and Surgeons, Columbia University.*
- April 9: Phosphatase values in relation to bone diseases — HENRY L. JAFFE, *Director of Laboratories, Hospital for Joint Diseases.*
- April 16: Value of roentgen therapy in inflammatory conditions — MAURICE LENZ, *Professor of Clinical Radiology, College of Physicians and Surgeons, Columbia University.*

Step along with...



JOHNNIE WALKER



BORN 1820
still going
strong

BLENDED SCOTCH WHISKY

RED LABEL
8 YEARS OLD
86.8 proof

BLACK LABEL
12 YEARS OLD
86.8 proof

CANADA DRY GINGER ALE, INC. • New York, N. Y. • Sole Distributor

1930 Tisdall, F. P., Drake, T. G. H., and Brown, M. A.: The effect of iron in maintaining vitamins and mineral elements. *Am. J. Dis. Child.* 40:791-799, Oct. 1930.

1931 Tisdall, F. P.: Dietary factors and health. *Soc. Tr. Am. J. Dis. Child.* 42:1490, Dec. 1931.

1932 Summerfeldt, P.: The value of an increased supply of vitamin B₁ and iron in the diet of children. *Am. J. Dis. Child.* 43:284-290, Feb. 1932. Morse, J. L.: Fads and fancies in present day pediatrics. *Pennsylvania M. J.* 35:280-285, Feb. 1932. Henricke, S. G.: The vitamin B complex: Its role in infant feeding in the light of our present knowledge. *Northwest Med.* 31:165-169, April 1932. Langhorst, H. F.: Vitamins: Their role in the prevention and treatment of disease. *M. J. & Rec.* 135:326-329, April 6, 1932. Crumm, P. D.: Dietary of Childhood. Tuberculosis: Cereal as a source of added mineral and vitamin elements; preliminary report. *J. Indiana M. A.* 25:205-206, May 1932. Trout, L.: Quality studies of therapeutic diets: I. The ulcer diet; a committee report. *J. Am. Dietet. A.* 8:25-32, May 1932. Summerfeldt, P., Tisdall, F. P., and Brown, A.: The curative effects of cereals and biscuits on experimental anemias. *Canad. M. A. J.* 26:666-669, June 1932. Sneed, W.: Ununited and delayed union of fractures. *Kentucky M. J.* 30:363-370, July 1932. Silverman, A. C.: Celiac disease. *New York State J. Med.* 32:1055-1061, Sept. 15, 1932. von Meysenbug, L.: Infant feeding with special reference to some of its problems during the first year. *Texas State J. Med.* 28:543-547, Dec. 1932.

1933 Wampler, F. J., and Forbes, J. C.: Calcium and phosphorus metabolism in cases of celiac disease. *South. M. J.* 26:555-558, June 1933. Brown, A., and Tisdall, F. P.: The role of minerals and vitamins in growth and resistance to infection. *Brit. M. J.* 1:55-57, Jan. 14, 1933; Effect of vitamins

Orleans M. & S. J. 87:738-743, May 1935. Terr, E. M., and McNeile, G.: Relation of vitamin B deficiency to metabolic disturbances during pregnancy and lactation. *Am. J. Obst. & Gynec.* 29:811-818, June 1935. Blatt, M., and Schapiro, I. E.: Influence of a special cereal mixture on infant development. *Am. J. Dis. Child.* 50:324-336, Aug. 1935. Coward, N. B.: Infant feeding. *Nova Scotia M. Bull.* 14:525-532, Oct. 1935. Tisdall, F. P.: Inadequacy of present dietary standards. *Tr. Sect. Pediat., A.M.A.* 1935: Canad. M. A. J. 33:624-628, Dec. 1935. Marriott, W. McK.: Infant Nutrition, second edition. C. V. Mosby Co., St. Louis, 1935, p. 202. Summerfeldt, P.: Iron and its availability in foods. *Tr. Sect. Pediat., A.M.A.* 1935, pp. 214-220.

1936 Dafeo, A. R.: Further history of the care and feeding of the Dionne quintuplets. *Canad. M. A. J.* 34:26-32, Jan. 1936. Conn, L. C., Vant, J. R., and Malone, M. M.: Some aspects of maternal nutrition. *Surg., Gynec. & Obst.* 62:377-383, Feb. 15, 1936. Ross, J. R., and Summerfeldt, P.: Haemoglobin of normal children and certain factors influencing its formation. *Canad. M. A. J.* 34:155-158, Feb. 1936. Saxl, N. T.: Allergic diseases. *J. Pediat.* 8:500-515, April 1936. Lemmon, J. R.: Problems of the crying infant. *Southwestern Med.* 20:248-250, July 1936. Rice, C. V.: The onset of treating celiac disease from a standpoint of vitamin deficiency. *Arch. Pediat.* 53:626-629, Sept. 1936. Smith, C. H.: Management of nutritional anemia in infancy. *M. Clin. North America* 20:933-950, Nov. 1936. Strong, R. A., editor: Nutritional anemia of infants. *Orleans Parish M. Soc. Bull.*, pp. 6-9, Nov. 9, 1936. Jeans, P. C.: Specific factors in nutrition. *Round Table discussion, J. Pediat.* 9:693-698, Nov. 1936. Young, J. G.: Meeting the requirements for proper infant nutrition in infancy. *Texas State J. Med.* 32:531-533, Dec. 1936.

1937 Stearns, G., and Stinger, D.: Iron retention in infancy. *J. Nutrition* 13:127-

ner, B., and Gruel, H. L.: Anaphylactogenic properties of certain cereal foods and breadstuffs. *Am. J. Dis. Child.* 57:739-758, April 1939. Monypenny, D.: Early introduction of solid foods in the infant diet. *Soc. Tr. Am. J. Dis. Child.* 58:1144-1145, Nov. 1939. Brown, A., and Tisdall, F. P.: Common Procedures in the practice of pediatrics, 2nd edition. McClelland & Stewart, Ltd., Toronto, 1939, pp. 77-79.

1940 McDougal, L. L., Jr.: Feeding a normal infant. *Mississippi Doctor* 17:437-442, Jan. 1940. Monypenny, D.: The early introduction of solid foods in the infant diet. *Canad. M. A. J.* 42:137-140, Feb. 1940. Robinson, E. C.: A study of two hundred and forty breast-fed and artificially fed infants in the St. Louis area. *Am. J. Dis. Child.* 58:316-327, April 1940. Ratner, B.: Round Table discussion on food allergy. *J. Pediat.* 16:653-672, May 1940. Rosenbaum, I., Jr.: The management of the allergic child. *Kentucky M. J.* 33:192-203, May 1940. Barondes, R. de R.: Report of a case of pellagra. *M. Rec.* 151:376-380, June 5, 1940. Brown, A.: The fourth Blackader lecture on a decade of paediatric progress. *Canad. M. A. J.* 43:305-313, Oct. 1940. Drueck, C. J.: Vitamin therapy in colon and rectal disease. *Illinois M. J.* 78:337-341, Oct. 1940. Swift, F. L.: Infant feeding. *Lackawanna Co. M. Soc. Reporter*, 33:3, Nov. 1940. Bogert, L. J., and Porter, M. T.: *Dietetics Simplified*, ed. 2, Macmillan Co., New York, 1940, p. 181. Davison, W. C.: *The Complete Pediatrician*, third edition, Duke University Press, Durham, N. C., 1940. No. 216. Hawley, E. E., and Maurer-Mast, E. E.: *The Fundamentals of Nutrition*, C. C. Thomas, Springfield, Ill., 1940, pp. 296, 456. Kugelmann, I. N.: *The Newer Nutrition in Pediatric Practice*, J. B. Lippincott Co., Philadelphia, 1940, p. 372. Leaman, W. G., Jr.: *Management of the Cardiac Patient*, J. B. Lippincott Co., Phila., 1940, p. 549. Paterson, D., in *Index of Treatment*, edited by R. Hutchison, ed. 12, revised, Williams & Wilkins Co., Baltimore, 1940, p. 491. Thomas, G.

SCIENTIFIC BACKGROUND

Mead's Cereal was introduced in 1930, and Pabulum in 1932, by Mead Johnson & Company. Since then, the growing literature indicates early recognition and continued acceptance of these products and the important pioneer principles they represent. ★

and the inorganic elements on growth and resistance to disease in children. *Ann. Int. Med.* 7:342-352, Sept. 1933. Crumm, P. D., Raphael, I. J., and Schnute, L. F.: Diet of tuberculous and non-tuberculous infants. Effect of increased supply of vitamin B concentrate and minerals. *Am. J. Dis. Child.* 46:751-756, Oct. 1933. Smith, A. D.: Consideration of various infants' foods. *Alabama Coast J. Homeop.* 44:463-465, Sept.-Dec. 1933.

1934 Somers, R., Rotton, G. C., and Rowntree, J. I.: Possibilities of improving dental structure. *Soc. Tr. Bull. King Co. M. Soc.* 13:6, Jan. 15, 1934. Blatt, M. L.: Development of infants on a diet of a special cereal mixture. *Soc. Tr. Am. J. Dis. Child.* 47:918, April 1934. Rice, C. V.: Anemia of infancy and early childhood. *Oklahoma M. A.* 27:125-129, April 1934. Hawk, W. A.: A few of the commoner feeding problems in infancy. *Univ. Toronto M. J.* 11:218-229, May 1934. Ross, J. R., and Burrill, L. M.: The effect of cooking on the digestibility of cereals. *J. Pediat.* 4:654-659, May 1934. Rice, C. V.: Sauerkraut juice for the acidification of evaporated milk in infant feeding. *Arch. Pediat.* 51:390-395, June 1934. Eder, H. L.: Iron therapy: A routine procedure during infancy. *Arch. Pediat.* 51:701-713, Nov. 1934. Lynch, H. D.: Fundamentals of infant feeding. *J. Indiana M. A.* 27:571-574, Dec. 1934. Chaney, M. S., and Aliborn, M.: *Nutrition*, Houghton Mifflin Co., Boston, 1934, p. 323.

1935 Bailey, C. W.: Anemia in infants and young children. *J. South Carolina M. A.* 31:54-58, March 1935. Kugelmann, I. N.: The recent advances in treatment of nutritional disturbances in infancy and childhood. *M. Comm.* 17:5-12, March 1, 1935. Ross, J. R., and Summerfeldt, P.: Value of increased supply of vitamin B₁ and iron in the diet of children: Paper II. *Am. J. Dis. Child.* 49:1185-1188, May 1935. von Meysenbug, L.: Breast feeding with special reference to some of its problems. *New*

141, Feb. 1937. Strong, R. A.: Nutritional anemia. *Mississippi Doctor* 15:13-16, Aug. 1937. Smith, C. H.: Prevention and treatment of nutritional anemia in infancy. *Preventive Med.* 7:115-124, Aug. 1937. Saxl, N. T.: *Pediatrics in Dietetics for the Clinician*, edited by M. A. Bridges, third edition, Lea & Febiger, Philadelphia, 1937, pp. 637-639. Boyd, J. D.: Nutrition of the Infant and Child, National Medical Book Co., Inc., New York, 1937, p. 110. Brennemann, J.: *Practice of Pediatrics*, W. F. Prior Co., Inc., Hagerstown, Md., 1937, p. 1, Ch. 25, p. 19. Griffith, J. P., and Mitchell, A. G.: *The Diseases of Infants and Children*, second edition, W. B. Saunders Co., Philadelphia, 1937, pp. 106, 111. Saxl, N. T.: *Pediatric Dietetics*, Lea & Febiger, Philadelphia, 1937, pp. 131-133.

1938 Hoffman, S. J., Greenhill, J. P., and Lundeen, E. C.: A premature infant, weighing 735 gms and surviving. *J. M. A.* 110:283-285, Jan. 22, 1938. Krasnow, F.: Nutritional influence on teeth. *Am. J. Pub. Health* 28:325-333, March 1938. Ratner, B.: Round Table discussion on asthma and hay fever in children. *J. Pediat.* 12:399-413, March 1938. Ratner, B.: Panel discussion on the role of allergy in pediatric practice. *J. Pediat.* 13:582-604, Oct. 1938. Snelling, C. E.: Nutritional anemia. *Bull. Acad. Med. Toronto* 12:710, Oct. 1938. Dauphinee, J. A.: The iron requirement in normal nutrition. *Canad. M. A. J.* 39:489-496, Nov. 1938. Summerfeldt, P., and Ross, J. R.: Value of an increased supply of vitamin B₁ and iron in the diet of children. Paper III. *Am. J. Dis. Child.* 56:985-988, Nov. 1938. Tisdall, F. P., and Drake, T. G. H.: The utilization of calcium. *J. Nutrition* 16:613-620, Dec. 1938. Drake, T. G. H.: Introduction of solid foods into the diets of children. *Canad. M. A. J.* 39:578-580, Dec. 1938.


1939 Strong, R. A.: The most frequent causes of vomiting in infancy. *Texas State J. Med.* 34:665-676, Feb. 1939. Rat-

ner, B.: *Dietary of Health and Disease*, ed. 3, revised, Lea & Febiger, Phila., 1940, pp. 171.

1941 Gipson, A. C.: The role of allergy in pediatric practice. *J. M. A. Alabama* 10:272-274, Feb. 1941. Monypenny, D., and Jackson, S. H.: II. The effect of cooking on the digestibility of cereals. *J. Pediat.* 18:395-398, March 1941. Kennedy, A. S., Snider, O., Hazen, J. S., and McLean, C.: The dietary management of infantile tuberculosis. *Canad. M. A. J.* 44:380-385, April 1941. McAlpine, K. L.: Management of the nutritional anemia of infancy. *Canad. M. A. J.* 44:386-390, April 1941. Patek, A. J., Jr., and Post, J.: Treatment of cirrhosis of the liver by a nutritious diet and supplements rich in vitamin B complex. *J. Clin. Investigation* 20:481-505, Sept. 1941. Bercovitz, Z., and Johnson, H. J.: Ulcerative Colitis, in *Dietetics for the Clinician*, by M. A. Bridges, fourth edition, revised, Lea & Febiger, Phila., 1941, p. 295. Bridges, M. A.: *Dietetics for the Clinician*, fourth edition, revised, Lea & Febiger, Phila., 1941, pp. 727-751, 809. Griffith, J. P. C., and Mitchell, A. G.: *Textbook of Pediatrics*, ed. 3, revised, W. B. Saunders Co., Phila., 1941, pp. 87, 91. Rowe, A. H.: Elimination Diets and the Patient's Allergies. Lea & Febiger, Phila., 1941, p. 230. Twiss, J. R.: Gall-bladder Disease, in *Dietetics for the Clinician*, by M. A. Bridges, fourth edition, revised, Lea & Febiger, Phila., 1941, p. 401.

1942 Gleich, M.: The premature infant. Part II. *Arch. Pediat.* 59:99-135, Feb. 1942. Part IV. *Arch. Pediat.* 59:161-263, April 1942. Brown, A., and Robertson, E. C.: Factors to be considered in the construction of the diet of the older child. *J. Kansas M. Soc.* 43:237-244, June 1942. Fetter, L., and Carter, W. E.: Management of the Sick Infant and Child, ed. 6, C. V. Mosby Co., St. Louis, 1942, p. 125. Proudfoot, F. T.: *Nutrition and Diet Therapy*, ed. 8, Macmillan Co., New York, 1942, p. 515. Willard, J. H.: *Digestive Diseases in General Practice*, F. A. Davis Co., Phila., 1942, p. 147.

★ In response to requests from pediatricians, we are also marketing PABENA—precooked oatmeal, enriched with vitamin and mineral supplements. PABENA closely resembles Pabulum in nutritional qualities, and offers the same features of thorough cooking, convenience and economy. Supplied in 8-ounce cartons. Samples on request. Mead Johnson & Company, Evansville, Ind., U.S.A.



DYSPNOEA AND CORAMINE ORALLY

Gratifying are the results seen when CORAMINE is employed orally for the relief of Dyspnoea, Orthopnea and other distressing forms of Embarrassed Respiration.

It has been stated that this remedy will give better relief than anything that has so far been found, when used freely and fearlessly.¹

Often overlooked, however, is the extreme value of CORAMINE* orally for extended periods of treatment. It has been given as a 25% solution, one dram three times daily. The wide therapeutic margin of safety reduces the possibility of undesirable side effect.

In emergencies CORAMINE is used intramuscularly, subcutaneously or intravenously in doses of from 5 to 10 cc. Use it in your next case of Dyspnoea.

¹Lankford, J. S., "Coramine," Clinical Medicine & Surgery, 37, 670, 1930.

CORAMINE

AMPULS

LIQUID

A Cardio-Respiratory Stimulant

Produced Only by Ciba

*Trade Mark Reg. U. S. Pat. Off.



C I B A *Pharmaceutical Products, Inc.*

SUMMIT, NEW JERSEY

5 IMPORTANT STATEMENTS ABOUT VITAMIN B-COMPLEX FROM A *Natural* SOURCE

1 Recent work has shown that while synthetic vitamins appear to be chemically identical with the same factors found in B-Complex, results obtained are not therapeutically identical.¹

2 YEAST VITAMINE (Harris) Concentrate Tablets contain all factors of the water-soluble B-Complex group as found in the *native* state.

3 This product is based on the original vitamin research offered to the Medical Profession in 1919 following the work of Osborne and Wakeman.

4 Each tablet contains not less than 225 micrograms thiamin (75 U.S.P. units Vitamin B₁), 52 micrograms riboflavin (20 Bourquin-Sherman Units Vitamin G or B₂) and 500 micrograms niacin (nicotinic acid) together with other factors of the Vitamin B-Complex group (Pantothenic Acid, Pyridoxine, etc.) as found in the source material.

5 Their high concentration makes massive oral dosage easy.

HARRIS LABORATORIES

DIVISION OF BRISTOL MYERS COMPANY

Tuckahoe • New York

Producers of Vitamins for Medical Use

{ BREWERS' YEAST POWDER contains the vitamins of this source in a palatable, economical form. Used in the treatment of lesions of the mucous membrane in pellagra² and other conditions resulting from B-Complex deficiency. }

¹Morgan, A. F.: Science, March 14, 1941

²Spies, T. D., Cooper, C.: Int. Clinics—Vol. IV, 1937

PATIENTS APPROVE PLEASANT-TASTING

Maltine

WITH
VITAMIN CONCENTRATES



Available in bottles of 12 fluid ounces

• A potent and economical multiple vitamin supplement. Each fluid ounce contains:

Vitamin A 10,000 U.S.P. Units

Vitamin B₁ . 1,000 International Units

Vitamin B₂
4,000 Micrograms Riboflavin

Vitamin D 1,000 U.S.P. Units

Nicotinamide 40 Milligrams

Pantothenic Acid .350 Micrograms

Dicalcium Phosphate . . 17 Grains

THE **Maltine**
C O M P A N Y

NEW YORK • Established 1875